Commonwealth of Kentucky Division for Air Quality

PERMIT APPLICATION SUMMARY FORM

Completed by: Esmail Hassanpour

GENERAL INFORMATION:	
Name:	Princeton Peaking Plant
Address:	686 Park Avenue
	Princeton, KY 42445
Date application received:	5/9/2007
SIC Code/SIC description:	4911, Electric Power Generation
Source ID:	21-033-00038
Agency Interest:	85174
Activity:	APE20070001
Permit:	V-07-027
APPLICATION TYPE/PERMIT ACTIVITY:	
[x] Initial issuance	[] General permit
[] Permit modification	[] Conditional major
Administrative	[] Title V
Minor	[x] Synthetic minor
Significant	[] Operating
[] Permit renewal	[x] Construction/operating
COMPLIANCE SUMMARY:	
[] Source is out of compliance[] Compliance certification signed	[] Compliance schedule included
APPLICABLE REQUIREMENTS LIST:	
[] NSR	SPS [x] SIP
	ESHAPS [] Other
[] Netted out of PSD/NSR [] No	ot major modification per 401 KAR 51:001, 1(116)(b)
MISCELLANEOUS:	
[] Acid rain source	
Source subject to 112(r)	11
[] Source applied for federally enfo	
[] Source provided terms for altern	· ·
[] Source subject to a MACT stand	
[] Source requested case-by-case 1	·=:::
[] Application proposes new control	or technology
[x] Certified by responsible official	
[x] Diagrams or drawings included[] Confidential business information	on (CRI) submitted in application
[] Pollution Prevention Measures	on (CDI) submitted in application
[] Area is non-attainment (list poll-	utante):
[] Area is non-attainment (fist poil	umins).

Summary Princeton Peaking Plant Page 2:

EMISSIONS SUMMARY:

Pollutant	Actual (tpy)	Potential (tpy)
PM/PM_{10}	0	14.35
SO_2	0	3.97
NOx	0	194.22
СО	0	238.94
VOC	0	27.86
Acetaldehyde	0	0.0000034
Acrolein	0	0.0000012
Benzene	0	0.0001110
Formaldehyde	0	0.0000121
Naphthalene	0	0.0000211
Toluene	0	0.0000431
Xylenes	0	0.0000295

SOURCE DESCRIPTION:

The Princeton Peaking Plant applied to the Kentucky Division for Air Quality on May 5, 2007, to construct and operate an electric generating facility in Princeton, KY. Additional information was provided to the Division on August 20, 2007. The electricity will be generated using nine Caterpillar Model 3516 B reciprocating engines, or similar equipment. The engines will be used to meet peak electricity demand. The reciprocating engines offer quick-start capability and will drive generators to produce electric power for distribution. Each engine will have an approximate heat input of 21.74 MMBtu/hr (HHV) with nominal output of 2 MW. The units use No. 2 fuel oil. Combined operating hours for all engines will be limited to 7800 hours per year. Two 32,000 gallons storage tanks will be constructed as part of the project. Maximum throughput of No. 2 fuel oil will be 1,379,700 gallons per year. This throughput may be through a single tank or split between the two tanks.

Summary Princeton Peaking Plant Page 3:

EMISSIONS AND OPERATING CAPS DESCRIPTIONS:

To preclude the applicability of 401 KAR 51:017, Prevention of Significant Deterioration, source-wide emissions of Carbon Monoxide (CO), are limited to less than 225 tons per year. Sulfur content of the fuel oil shall not exceed 0.05 percent by weight. The units will fire No.2 fuel oil and the total combined operating hours shall not exceed 7800 hours per year. Maximum throughput of fuel oil will not exceed 1,379,700 gallon per year. Additionally, the source shall be limited to 9 tons per year for a single hazardous air pollutant (HAP) and 22.5 for combined HAPs

OPERATIONAL FLEXIBILITY:

None